

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>1.) Prevalence of Bladder Incontinence (High Degree of Incontinence)</p> <p><i>Previous QI103</i></p>	<p>Numerator: All residents who were frequently incontinent or incontinent on most recent assessment.</p> <p>Denominator: Most recent assessment on all residents excluding those with Indwelling Catheter.</p>	<p>Numerator: Bladder Incontinence: (H1b=3 OR H1b=4)</p> <p>Denominator: Most recent assessment on all residents</p> <p>Exclude: Indwelling Catheter (H3d=1)</p>
<p>2.) Prevalence of Bladder Incontinence (Low Degree of Incontinence)</p> <p><i>Previous QI104</i></p>	<p>Numerator: All residents who were who were usually continent or occasionally incontinent on most recent assessment. <i>(Numerator now excludes continent)</i></p> <p>Denominator: Most recent assessment on all residents excluding those with Indwelling Catheter.</p>	<p>Numerator: Bladder Incontinence: (H1b=1 OR H1b=2)</p> <p>Denominator: Most recent assessment on all residents</p> <p>Exclude: Indwelling Catheter (H3d=1)</p>
<p>3.) Prevalence of Bowel Incontinence (High Degree of Incontinence)</p> <p><i>Previous QI105</i></p>	<p>Numerator: All residents who were frequently incontinent or incontinent on most recent assessment.</p> <p>Denominator: Most recent assessment on all residents excluding those with an Ostomy.</p>	<p>Numerator: Bowel Incontinence: (H1a=3 or H1a=4)</p> <p>Denominator: Most recent assessment on all residents</p> <p>Exclude: Ostomy (H3i=1)</p>
<p>4.) Prevalence of Bladder Incontinence without Scheduled Toileting Plan.</p> <p><i>Previous QI106</i></p>	<p>Numerator: Residents without toileting plan and are occasionally incontinent to incontinent most recent assessment.</p> <p>Denominator: Residents who were occasionally incontinent to incontinent on most recent assessment excluding those with Indwelling Catheter.</p>	<p>Numerator: No scheduled toileting/other program (H3a=0)</p> <p>Denominator: Most recent assessment for all residents where bladder incontinence is occasionally incontinent to incontinent: (H1b=2 or H1b=3 or H1b=4)</p> <p>Exclude: Indwelling Catheter (H3d=1)</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>5.) Prevalence of Injury <i>Previous QI107</i></p>	<p>Numerator: Residents with any injury (abrasions/bruises or burns) on most assessment.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Abrasions or Cuts (M1a=1) OR Burns (M1b=1) OR Bruises (M1c=1)</p> <p>Denominator: Most recent assessment on all residents.</p>
<p>6.) Prevalence of Falls <i>Previous QI108</i></p>	<p>Numerator: Residents with falls on most recent assessment</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Fell in past 30 Days (J7a=1) OR Fell in past 180 Days (J7b=1) OR Hip fractures last 180 days (J7c=1) OR Other fractures last 180 days (J7d=1)</p> <p>Denominator: Most recent assessment on all residents.</p>
<p>7.) Prevalence of Behavioral Symptoms <i>Previous QI109</i></p>	<p>Numerator: Residents with behavioral symptoms on most recent assessment.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Residents with one of following behavioral symptoms: Wandering (E4aa >=1) OR Verbally abusive behavior (E4ba>=1) OR Physically abusive behavior (E4ca>=1) OR Socially inappropriate behavior: (E4da>=1) OR Resists care (E4ea >=1) OR Intimidating behaviors (E4fa >=1) OR Elopement (E4ga >=1) OR Dangerous non-violent behavior (E4ha>=1) OR Dangerous violent behavior (E4ia >=1) OR Fire setting (E4ja >=1)</p> <p>Denominator: Most recent assessment on all residents</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>8.) Prevalence of Behavioral Symptoms without Behavior Management Program</p> <p><i>Previous QI110</i></p>	<p>Numerator: All residents with behavioral symptoms towards others who do not have some behavior management problem.</p> <p>Denominator: Most recent assessment on all residents with behavioral symptoms toward others.</p>	<p>Numerator: Intervention Program: None of above (P2k=1)</p> <p>Denominator: Residents with one of following behavioral symptoms: Wandering (E4aa >=1) OR Verbally abusive behavior (E4ba>=1) OR Physically abusive behavior (E4ca>=1) OR Socially inappropriate behavior: (E4da>=1) OR Resists care (E4ea >=1) OR Intimidating behaviors (E4fa >=1) OR Elopement (E4ga >=1) OR Dangerous non-violent behavior (E4ha>=1) OR Dangerous violent behavior (E4ia >=1) OR Fire setting (E4ja >=1)</p>
<p>9.) Use of 9 or more Medications in last 7 days including PRNs</p> <p><i>Previous QI111</i></p>	<p>Numerator: All residents with 9 or more medications on most recent assessment.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Number of Medications is greater than or equal to 9 in last 7 days: O1>=9</p> <p>Denominator: Most recent assessment on all residents.</p>
<p>10.) Use of 9 or more Scheduled Medications in last 7 days</p> <p><i>Previous QI112</i></p>	<p>Numerator: All residents with 9 or more scheduled medications on medications most recent assessment.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Count of drugs from Section U. where the frequency is not equal to PR or invalid.</p> <p>Denominator: Most recent assessment on all residents.</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>11.) Prevalence of Cognitive Impairment <i>Previous QI113</i></p>	<p>Numerator: All residents who were cognitively impaired on most recent assessment</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Cognitive skills for daily decision making are impaired (B3>0) AND Memory Recall skills: Resident is not able to recall: (Current season: (B2a=0) OR Loc. of own room: (B2b=0) OR Staff names/faces: (B2c=0) OR That he/she is in a facility/home: (B2d=0)) OR None Above Recalled: (B2e=1) AND Short-term memory problems: (B1a=1) Denominator: Most recent assessment on all residents.</p>
<p>12.) Prevalence of Modified Cognitive Impairment- Includes Long term Memory Problems <i>Previous QI114</i></p>	<p>Numerator: All residents who had impaired decision making and short or long-term memory problems on most recent assessment.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: (Cognitive skills for daily decision making are impaired: B3>0 AND Short-term memory problems: B1a=1) OR (Cognitive skills for daily decision making (B3>0) AND Long term memory problems B1b=1 Denominator: Most recent assessment on all residents.</p>
<p>13.) Prevalence of Little or No Activity <i>Previous QI115</i></p>	<p>Numerator: All residents who were involved in activities little or none of the time on most recent assessment. Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Average Time involved in activities: (N2=3 or N2=4) Denominator: Most recent assessment on all residents.</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
14.) Prevalence of Anti-Psychotic drugs <i>Previous QI116</i>	Numerator: Anti-psychotic use on most recent assessment. Denominator: Most recent assessment on all residents.	Numerator: Days Received the Following Medications – Anti-psychotics (O4aa>=1) Denominator: Most recent assessment on all residents.
15.) Prevalence of Awake at Night <i>Previous QI117</i>	Numerator: All residents coded awake at night on most recent assessment. Denominator: Most recent assessment on all residents.	Numerator: Time Awake – Night is checked (N1d=1) Denominator: Most recent assessment on all residents.
16.) Prevalence of Communication Difficulties <i>Previous QI118</i>	Numerator: All residents coded with difficulty being understood or understanding others on most recent assessment. Denominator: Most recent assessment on all residents.	Numerator: Making Self Understood (C3=2 or C3=3) OR Ability to Understand Others (C4=2 or C4=3) Denominator: Most recent assessment on all residents.
17.) Prevalence of Signs of Distress or Sad/Anxious Mood <i>Previous QI119</i>	Numerator: All residents coded with two or more indicators of depression, anxiety or sad mood exhibited one or more times a week Denominator: Most recent assessment on all residents.	Numerator: Indicated if two or more items in section E1 are coded 1 or 2 (E1a through E1r). Denominator: Most recent assessment on all residents.

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition																		
<p>18.) Incidence of Decline in Late Loss ADLs</p> <p><i>Previous QI121</i></p>	<p>Numerator: Residents showing ADL decline between previous and most recent assessment as follows:</p> <ul style="list-style-type: none"> a. One or more level decline in two or more late loss ADLs <p>OR</p> <ul style="list-style-type: none"> b. Two level decline in one or more late loss ADLs <p>Denominator: Current residents with two consecutive assessments.</p> <p>Exclusion: Resident who are totally dependent in late loss ADLs on previous assessment.</p>	<p>Numerator: One level decline in two or more of the following: Bed mobility (G1aa), Transfer (G1ba), Eating (G1ea) or Toilet Use (G1fa)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">1,2,3,4</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2,3,4</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">3,4</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> </table> <p>Two level decline in one or more late loss ADLs: Bed mobility (G1aa), Transfer (G1ba), Eating (G1ea) or Toilet Use (G1fa)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">2,3,4</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">3,4</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> </table> <p>ADL score of 8 is recoded to 4.</p> <p>Denominator: Current residents with two consecutive assessments.</p> <p>Exclude: If totally dependent on all - Bed mobility (G1aa=4 or 8),and Transfer (G1ba=4 or 8), and Eating (G1ea=4 or 8) and Toilet Use (G1fa=4 or 8) on previous assessment.</p>	<u>Previous</u>	<u>Most Recent</u>	0	1,2,3,4	1	2,3,4	2	3,4	3	4	<u>Previous</u>	<u>Most Recent</u>	0	2,3,4	1	3,4	2	4
<u>Previous</u>	<u>Most Recent</u>																			
0	1,2,3,4																			
1	2,3,4																			
2	3,4																			
3	4																			
<u>Previous</u>	<u>Most Recent</u>																			
0	2,3,4																			
1	3,4																			
2	4																			

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>19.) Incidence of Decline in Late Loss ADLs – High Risk</p> <p><i>Previous QI122</i></p>	<p>Numerator: Calculated as QI 18 for residents at high risk</p> <p>Denominator: Current residents with two consecutive assessments that were at high risk for decline on the previous assessment.</p> <p>Exclusion: Resident who are totally dependent in late loss ADLs on previous assessment.</p>	<p>Numerator: Calculated as QI 18 for residents at high risk.</p> <p>Denominator: Current residents with two consecutive assessments AND one of the following high risk items: Terminal prognosis (I1ww=1), OR Decline in cognitive status (B4=2) OR Need for on-going monitoring of acute or new treatment (P3a=1,2,3 or P3b=1,2,3)</p> <p>Exclude: If totally dependent on all - Bed mobility (G1aa=4 or 8), and Transfer (G1ba=4 or 8), and Eating (G1ea=4 or 8) and Toilet Use (G1fa=4 or 8) on previous assessment.</p>
<p>20.) Incidence of Decline in Late Loss ADLs – Low Risk</p> <p><i>Previous QI123</i></p>	<p>Numerator: Calculated as QI 18 for residents at low risk</p> <p>Denominator: Current residents with two consecutive assessments that were at low risk for decline on the previous assessment.</p> <p>Exclusion: Resident who are totally dependent in late loss ADLs on previous assessment</p>	<p>Numerator: Calculated as QI 18 for residents at low risk:</p> <p>Denominator: Current residents with two consecutive assessments AND DO NOT HAVE: Terminal prognosis (I1ww=1), or Decline in cognitive status (B4=2) or Need for on-going monitoring of acute or new treatment (P3a=1,2,3 or P3b=1,2,3)</p> <p>Exclude: If totally dependent on all - Bed mobility (G1aa=4 or 8), and Transfer (G1ba=4 or 8), and Eating (G1ea=4 or 8) and Toilet Use (G1fa=4 or 8) on previous assessment.</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition																		
<p>21.) Incidence of Decline in Early Loss ADL's</p> <p><i>Previous QI135 DRAFT</i></p>	<p>Numerator: Residents showing ADL decline between previous and most recent assessment as follows:</p> <ul style="list-style-type: none"> a. One or more level decline in two or more early loss ADLs <p>OR</p> <ul style="list-style-type: none"> b. Two level decline in one or more early loss ADLs <p>Denominator: Current residents with two consecutive assessments.</p> <p>Exclusion: Resident who are totally dependent in early loss ADLs on previous assessment</p>	<p>Numerator: One level decline in two or more of the following: Locomotion (G1ca), Dressing (G1da), or Personal Hygiene (G1ga)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">1,2,3,4</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2,3,4</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">3,4</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> </table> <p>Two level decline in one or more early loss ADLs: Locomotion (G1ca), Dressing (G1da), or Personal Hygiene (G1ga)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">2,3,4</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">3,4</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> </tr> </table> <p>ADL score of 8 is recoded to 4.</p> <p>Denominator: Current residents with two consecutive assessments</p> <p>Exclude: If total dependent on all Locomotion (G1ca=4 or 8),and Dressing (G1da=4 or 8), and Personal Hygiene (G1ga=4 or 8) on previous assessment.</p>	<u>Previous</u>	<u>Most Recent</u>	0	1,2,3,4	1	2,3,4	2	3,4	3	4	<u>Previous</u>	<u>Most Recent</u>	0	2,3,4	1	3,4	2	4
<u>Previous</u>	<u>Most Recent</u>																			
0	1,2,3,4																			
1	2,3,4																			
2	3,4																			
3	4																			
<u>Previous</u>	<u>Most Recent</u>																			
0	2,3,4																			
1	3,4																			
2	4																			

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>22.) Incidence of Decline in Early Loss ADLs – High Risk</p> <p><i>Previous QI136 DRAFT</i></p>	<p>Numerator: Calculated as QI 21 for residents at high risk</p> <p>Denominator: Current residents with two consecutive assessments that are at high risk for decline.</p> <p>Exclusion: Resident who are totally dependent in early loss ADLs on previous assessment</p>	<p>Numerator: Calculated as QI 21 for residents at high risk.</p> <p>Denominator: Current residents with two consecutive assessments AND one of the following high risk items: Terminal prognosis (I1ww=1), OR Decline in cognitive status (B4=2) OR Need for on-going monitoring of acute or new treatment (P3a=1,2,3 or P3b=1, 2,3)</p> <p>Exclude: If total dependent on all Locomotion (G1ca=4 or 8), and Dressing (G1da=4 or 8), and Personal Hygiene (G1ga=4 or 8) on previous assessment.</p>
<p>23.) Incidence of Decline in Early Loss ADLs – Low Risk</p> <p><i>Previous QI137 DRAFT</i></p>	<p>Numerator: Calculated as QI 21 for residents at low risk</p> <p>Denominator: Current residents with two consecutive assessments that are at low risk for decline.</p> <p>Exclusion: Resident who are totally dependent in early loss ADLs on previous assessment</p>	<p>Numerator: Calculated as QI 21 for residents at low risk.</p> <p>Denominator: Current residents with two consecutive assessments AND DO NOT HAVE: Terminal prognosis (I1ww=1), or Decline in cognitive status (B4=2) or Need for on-going monitoring of acute or new treatment (P3a=1,2,3 or P3b=1,2,3)</p> <p>Exclude: If totally dependent on all - Bed mobility (G1aa=4 or 8), and Transfer (G1ba=4 or 8), and Eating (G1ea=4 or 8) and Toilet Use (G1fa=4 or 8) on previous assessment.</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition																		
<p>24.) Incidence of Improvement in Late Loss ADLs</p> <p><i>Previous QI147 DRAFT</i></p>	<p>Numerator: Residents showing ADL improvement between previous and most recent assessment as follows:</p> <ul style="list-style-type: none"> a. One or more level improvement in two or more late loss ADLs <p>OR</p> <ul style="list-style-type: none"> b. Two level improvement in one or more late loss ADLs <p>Denominator: Current residents with two consecutive assessments.</p>	<p>Numerator: One level improvement in two or more of the following: Bed mobility (G1aa), Transfer (G1ba), Eating (G1ea) or Toilet Use (G1fa)</p> <table border="0"> <thead> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Most Recent</u></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0</td> </tr> <tr> <td>2</td> <td>0, 1</td> </tr> <tr> <td>3</td> <td>0, 1, 2</td> </tr> <tr> <td>4</td> <td>0, 1, 2, 3</td> </tr> </tbody> </table> <p>Two level improvement in one or more late loss ADLs: Bed mobility (G1aa), Transfer (G1ba), Eating (G1ea) or Toilet Use (G1fa)</p> <table border="0"> <thead> <tr> <th style="text-align: left;"><u>Previous</u></th> <th style="text-align: left;"><u>Most Recent</u></th> </tr> </thead> <tbody> <tr> <td>2</td> <td>0</td> </tr> <tr> <td>3</td> <td>0, 1</td> </tr> <tr> <td>4</td> <td>0, 1, 2</td> </tr> </tbody> </table> <p>ADL score of 8 is recoded to 4.</p> <p>Denominator: Current residents with two consecutive assessments.</p>	<u>Previous</u>	<u>Most Recent</u>	1	0	2	0, 1	3	0, 1, 2	4	0, 1, 2, 3	<u>Previous</u>	<u>Most Recent</u>	2	0	3	0, 1	4	0, 1, 2
<u>Previous</u>	<u>Most Recent</u>																			
1	0																			
2	0, 1																			
3	0, 1, 2																			
4	0, 1, 2, 3																			
<u>Previous</u>	<u>Most Recent</u>																			
2	0																			
3	0, 1																			
4	0, 1, 2																			

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition																		
<p>25.) Incidence of Improvement in Early Loss ADLs</p> <p><i>Previous QI150 DRAFT</i></p>	<p>Numerator: Residents showing ADL improvement between previous and most recent assessment as follows:</p> <ul style="list-style-type: none"> a. One or more level improvement in two or more early loss ADLs OR b. Two level improvement in one or more early loss ADLs <p>Denominator: Current residents with two consecutive assessments.</p>	<p>Numerator: One level improvement in two or more of the following: Locomotion (G1ca), Dressing (G1da), Personal Hygiene (G1ga)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">0, 1</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">0, 1, 2</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">0, 1, 2, 3</td> </tr> </table> <p>Two level improvement in one or more early loss ADLs: Locomotion (G1ca), Dressing (G1da), Personal Hygiene (G1ga)</p> <table border="0"> <tr> <td style="text-align: center;"><u>Previous</u></td> <td style="text-align: center;"><u>Most Recent</u></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">0, 1</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">0, 1, 2</td> </tr> </table> <p>ADL score of 8 is recoded to 4.</p> <p>Denominator: Current residents with two consecutive assessments.</p>	<u>Previous</u>	<u>Most Recent</u>	1	0	2	0, 1	3	0, 1, 2	4	0, 1, 2, 3	<u>Previous</u>	<u>Most Recent</u>	2	0	3	0, 1	4	0, 1, 2
<u>Previous</u>	<u>Most Recent</u>																			
1	0																			
2	0, 1																			
3	0, 1, 2																			
4	0, 1, 2, 3																			
<u>Previous</u>	<u>Most Recent</u>																			
2	0																			
3	0, 1																			
4	0, 1, 2																			
<p>26.) Prevalence of ER Visits</p> <p><i>Previous QI124</i></p>	<p>Numerator: All residents who visited the ER without an overnight stay one or more times in the last six months.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: P8 Emergency Room Visits (P8≥1)</p> <p>Denominator: Most recent assessment on all residents.</p>																		
<p>27.) Prevalence of Psychiatric Hospital Stays</p> <p><i>Previous QI125</i></p>	<p>Numerator: All residents who were admitted to Psychiatric Hospital one or more times in the last six months.</p> <p>Denominator: All residents on most recent assessment.</p>	<p>Numerator: P12 Psychiatric Hospital Stays (P12≥1)</p> <p>Denominator: Most recent assessment on all residents.</p>																		

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>28.) Prevalence of Hospital Stays <i>Previous QI126 DRAFT</i></p>	<p>Numerator: All residents who were admitted to Hospital one or more times in the last six months. Denominator: All residents on most recent assessment.</p>	<p>Numerator: P7 General Hospital Stays (P7≥1) Denominator: Most recent assessment on all residents.</p>
<p>29.) Prevalence of Weight Loss <i>Previous QI127 DRAFT</i></p>	<p>Numerator: All residents with unintended weight loss in last 30 or 180 days Denominator: All residents on most recent assessment.</p>	<p>Numerator: K3a Weight Change – Unintended weight loss-5% or more in last 30 days; or 10% or more in last 180 days (K3a=1). Denominator: Most recent assessment on all residents.</p>
<p>30.) Prevalence of Wheel Chair as Primary Mode of Locomotion <i>Previous QI128 Draft</i></p>	<p>Numerator: All residents whose primary mode of locomotion was wheel chair. Denominator: All residents on most recent assessment.</p>	<p>Numerator: G3b Main mode of locomotion (G3b=1). Denominator: Most recent assessment on all residents.</p>
<p>31.) Prevalence of High Case Mix Index <i>Previous QI134 Draft</i></p>	<p>Numerator: All residents with Clinical Case Mix Groups for Impaired (IC1), Behavior(MC1), Clinical(CD1) and Physical (PD1) with the highest ADL groups on most recent assessment. Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Clinical Case Mix Group in IC1, MC1, CD1, OR PD1 Denominator: Most recent assessment on all residents.</p>
<p>32.) Prevalence of Pain <i>Previous QI138 DRAFT</i></p>	<p>Numerator: All residents with pain indicated on most recent assessment. Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Pain Symptoms (J3>=1) Denominator: Most recent assessment on all residents.</p>

QUALITY INDICATORS FOR RESIDENTIAL CARE FACILITIES
Maine Bureau of Medical Services

Version Date: 07/01/2004

TITLE	DESCRIPTION	MDS - RCA Variable Definition
<p>33.) Prevalence of Pain Interfering with No Pain Management</p> <p><i>Previous QI139 DRAFT</i></p>	<p>Numerator: All residents with no pain management</p> <p>Denominator: Most recent assessment on all residents with pain interfering.</p>	<p>Numerator: Pain Management: No (J6 = 1) OR Treated no minimal control (J6 = 4)</p> <p>Denominator: Most recent assessment on residents where pain interferes (J5 = 1, 2, or 3)</p>
<p>34.) Prevalence of Anti-Psychotic use in Absence of Diagnosis</p> <p><i>Previous QI142 DRAFT</i></p>	<p>Numerator: All residents who take antipsychotic meds</p> <p>Denominator: Most recent assessment on all residents who do not have a psychiatric diagnosis</p>	<p>Numerator: Days antipsychotic Medications Received: (O4aa >= 1 and O4aa <= 7)</p> <p>Denominator: Most recent assessment on all residents.</p> <p>Exclude: Residents with valid psychiatric diagnosis based on: Problem conditions: Delusions (J1e = 1) OR Hallucinations (J1f = 1) OR Diagnosis –Schizophrenia (I1gg = 1) OR Other Dx (I2a, I2b, I2c) based on specific Mental Health ICD-9 codes: 295.0-295.9, 297.0-298.9, 307.23, 333.4</p>
<p>35.) Prevalence of Ulcers due to Any Cause</p> <p><i>Previous QI144 DRAFT</i></p>	<p>Numerator: All residents who have ulcers.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Ulcers: (M2a >= 1 OR M2b >= 1 OR M2c >= 1 OR M2d >= 1</p> <p>Denominator: Most recent assessment on all residents</p>
<p>36.) Prevalence of Fecal Impaction</p> <p><i>Previous QI145 DRAFT</i></p>	<p>Numerator: All residents who have fecal impaction.</p> <p>Denominator: Most recent assessment on all residents.</p>	<p>Numerator: Bowel Continence (H2d = 1)</p> <p>Denominator: Most recent assessment on all residents</p>